


**MINI USB
CONNECTOR**

MUSB SERIES RIGHT ANGLE TYPE- Pa



MUSB - Pa 05 N GX - 01 B

PCB TYPE
Pa: RIGHT ANGLE TYPE

SHELL PLATING
N: NICKEL PLATING


PLASTIC COLOR
01: BLACK COLOR

SHELL PLATING
B: USB B TYPE

MUSB SERIES **NO. OF CONTACT** 05

PLATING
Gf: GOLD FLASH ON CONTACT, TIN PLATING ON SOLDER TAIL
G30t: 30u" GOLD ON CONTACT, TIN PLATED ON SOLDER TAIL

MUSB SERIES RIGHT ANGLE & SURFACE MOUNT TYPE- Rt



MUSB - Rt 05 N GX - P2 XX B

PCB TYPE
Rt: RIGHT ANGLE & SURFACE MOUNT

SHELL PLATING
N: NICKEL PLATING

PLASTIC POST WIDTH
P2: 2.4mm IN WIDTH

SHELL PLATING
B: USB B TYPE




MUSB SERIES **NO. OF CONTACT** 05

PLATING
Gf: GOLD FLASH ON CONTACT, TIN PLATING ON SOLDER TAIL
G30t: 30u" GOLD ON CONTACT, TIN PLATED ON SOLDER TAIL




PLASTIC COLOR
01: BLACK COLOR
05: WHITE COLOR

NOTE : SOME SIZES, STYLES AND OPTION ARE NON-STANDARD, NON-CANCELLABLE, NON-RETURNABLE

MUSB SERIES RIGHT ANGLE & SURFACE MOUNT TYPE- Rt



PART NO.	PALSTIC COLOR
MUSB-Rt05NG -P405-B	WHITE
MUSB-Rt05NG -P401-B	BLACK



RECOMMENDED PCB PATTERN LAYOUT
(PCB THICKNESS:0.8±0.1)

NO.	NAME	MATERIAL	FINISH	REMARK	Q'TY
1	HOUSING	NYLON PA9T G.F	BLACK		1
2	PIN TERM.	PBS t:0.25mm	GOLD/TIN PLATED	Ni:1~1.5u",TIN:3u" GOLD:30u"	5
3	SHELL	BRASS t:=0.4	NICKEL PLATED	Ni:2~3u"	1

MUSB - Rt 05 N GX - P4 XX B

- MUSB SERIES**
- PCB TYPE**
Rt: RIGHT ANGLE & SURFACE MOUNT
- NO. OF CONTACT**
05
- SHELL PLATING**
N: NICKEL PLATING
- PLATING**
Gt: GOLD FLASH ON CONTACT, TIN PLATING ON SOLDER TAIL
G30t: 30u" GOLD ON CONTACT, TIN PLATED ON SOLDER TAIL
- PLASTIC POST WIDTH**
P4: 4.4mm IN WIDTH
- SHELL PLATING**
B: USB B TYPE
- PLASTIC COLOR**
01: BLACK COLOR
05: WHITE COLOR

NOTE : SOME SIZES, STYLES AND OPTION ARE NON-STANDARD, NON-CANCELLABLE, NON-RETURNABLE