



COAXIAL CABLE 2


CABLE ASSEMBLY COAXIAL CABLE - N PLUG TO I-PEX PLUG




4	HEAT SHRINK TUBE	1
3	I-PEX PUG	1
2	N PLUG	1
1	COAXIAL CABLE ϕ 1.37mm	1
ITEM	DESCRIPTION	Q'TY



CABLE ASSEMBLY COAXIAL CABLE - N PLUG TO N PLUG




3	HEAT SHRINK TUBE, BLACK	2	
2	N PLUG FOR CFD400-PE	2	
1	COAXIAL CABLE CFD400-PE BLACK	1	
NO	DESCRIPTION	Q'TY	MATERIAL



NOTE : SOME SIZES, STYLES AND OPTION ARE NON-STANDARD, NON-CANCELLABLE, NON-RETURNABLE


CABLE ASSEMBLY COAXIAL CABLE - N PLUG TO N PLUG (HEX)



4	SHRINK TUBE ϕ 19.0 BLACK(SEAL)	2	
3	SHRINK TUBE ϕ 15.0 BLACK(SEAL)	2	
2	COAXIAL CABLE CFD400-PE	1	
1	CONNECTOR N PLUG (HEX)	2	BRASS Ni PLATED
NO	DESCRIPTION	Q'TY	MATERIAL

CA	743	X.Xa	MM	400PE	MM	43
CABLE ASSEMBLY	SERIES NO. CN1 CONNECTOR TYPE 43: N CRIMPING PLUG (HEX)	CABLE LENGTH X.Xa: X.Xm	CN1 CONTACT TYPE MM: MALE HEAD, MALE PIN	CABLE TYPE 400: CFD400PE CABLE	CN2 CONTACT TYPE MM: MALE HEAD, MALE PIN	CN2 CONNECTOR TYPE 43: N CRIMPING PLUG (HEX)

CABLE ASSEMBLY COAXIAL CABLE - SSMB PLUG TO SSMB PLUG




3	SHRINK TUBE, BLACK	1	
2	SSMB CRIMP PLUG FOR RG174	2	BRASS GOLD
1	COAXIAL CABLE, RG174	1	
NO	DESCRIPTION	Q'TY	MATERIAL

CA	785	XXXa	MF	174	MF	85
CABLE ASSEMBLY	SERIES NO. CN1 CONNECTOR TYPE 85: SSMB CRIMPING PLUG	CABLE LENGTH XXXa: XXXmm	CN1 CONTACT TYPE MF: MALE HEAD, FEMALE PIN	CABLE TYPE 174: RG174 CABLE	CN2 CONTACT TYPE MF: MALE HEAD, FEMALE PIN	CN2 CONNECTOR TYPE 85: SSMB CRIMPING PLUG

NOTE : SOME SIZES, STYLES AND OPTION ARE NON-STANDARD, NON-CANCELLABLE, NON-RETURNABLE

CABLE ASSEMBLY COAXIAL CABLE - SSMB PLUG TO TNC JACK




6	O-PING	1	
5	NUT	1	
4	SHRINK TUBE, Ø3.50 BLACK	2	
3	COAXIAL CABLE: RG316DS 50 Ohms	1	
2	TNC Bk JACK FOR RG316DS	1	
1	SSMB Str PLUG FOR RG316DS	1	
ITEM	DESCRIPTION	Q'TY	MATERIAL




CA	785	XXXa	MF	316DS	FF	10
CABLE ASSEMBLY	SERIES NO. CN1 CONNECTOR TYPE 85: SSMB CRIMPING PLUG	CABLE LENGTH XXXa: XXXmm	CN1 CONTACT TYPE MF: MALE HEAD, FEMALE PIN	CABLE TYPE 316DS: RG316 CABLE, DOUBLE SHIELDED	CN2 CONTACT TYPE FF: FEMALE HEAD, FEMALE PIN	CN2 CONNECTOR TYPE 10: TNC JACK 1-FLAT

CABLE ASSEMBLY COAXIAL CABLE - SSMB JACK TO SSMB R/A PLUG




4	SHRINK TUBE, Ø3.50 BLACK	2	
3	COAXIAL CABLE: RG316DS 50 Ohms	1	
2	SSMB RA PLUG FOR RG316DS	1	
1	SSMB Str JACK FOR RG316DS	1	
ITEM	DESCRIPTION	Q'TY	MATERIAL



CA	786	XXXa	MF	316DS	MF	87
CABLE ASSEMBLY	SERIES NO. CN1 CONNECTOR TYPE 86: SSMB JACK	CABLE LENGTH XXXa: XXXmm	CN1 CONTACT TYPE MF: MALE HEAD, FEMALE PIN	CABLE TYPE 316DS: RG316 CABLE, DOUBLE SHIELDED	CN2 CONTACT TYPE MF: MALE HEAD, FEMALE PIN	CN2 CONNECTOR TYPE 87: SSMB R/A PLUG

NOTE : SOME SIZES, STYLES AND OPTION ARE NON-STANDARD, NON-CANCELLABLE, NON-RETURNABLE


CABLE ASSEMBLY COAXIAL CABLE - SSMB JACK TO MC CARD R/A PLUG



4	SHRINK TUBE, Ø3.50 BLACK	2	
3	COAXIAL CABLE: RG316DS 50 Ohms	1	
2	MC CARD R/A PLUG FOR RG316DS	1	
1	SSMB Str JACK FOR RG316DS	1	
ITEM	DESCRIPTION	Q'TY	MATERIAL

CA	786	XXXa	MF	316DS	MM	76
CABLE ASSEMBLY	SERIES NO. CN1 CONNECTOR TYPE 86: SSMB JACK	CABLE LENGTH XXXa: XXXmm	CN1 CONTACT TYPE MF: MALE HEAD, FEMALE PIN	CABLE TYPE 316DS: RG316 CABLE, DOUBLE SHIELDED	CN2 CONTACT TYPE MM: MALE HEAD, MALE PIN	CN2 CONNECTOR TYPE 76: MC CARD R/A

CABLE ASSEMBLY COAXIAL CABLE - SMA PLUG TO SSMC PLUG



4	HEAT SHRINK TUBE	2	
3	SPIRAL STRIP COAXIAL CABLE (SS405)BLUE	1	
2	SSMC PLUG SOLDER FOR SS405	1	BRASS
1	SMA PLUG GOLD	1	BRASS
ITEM	DESCRIPTION	Q'TY	MATERIAL

CA	721	XXXa	MM	SS405	MF	89
CABLE ASSEMBLY	SERIES NO. CN1 CONNECTOR TYPE 21: SMA PLUG	CABLE LENGTH XXXa: XXXmm	CN1 CONTACT TYPE MM: MALE HEAD, MALE PIN	CABLE TYPE SS405: SS405 CABLE	CN2 CONTACT TYPE MF: MALE HEAD, FEMALE PIN	CN2 CONNECTOR TYPE 89: SSMC PLUG

NOTE : SOME SIZES, STYLES AND OPTION ARE NON-STANDARD, NON-CANCELLABLE, NON-RETURNABLE